

## AMENDMENTS TO THE CLAIMS

Please amend the claims as indicated below.

1-14. (Withdrawn)

15. (Currently amended) A method of playing a card game, the method comprising the steps of:

biasing a standard deck of cards so each hand dealt to each player in said game is close in rank to the hands dealt to other players;

dealing ~~the~~ said each hand to the each player creating a competitive game; and playing said game according to conventional rules of said game.

16. (Currently amended) The method of claim 15, wherein ~~the~~ each player is assigned a different hand ranking.

17. (Original) The method of claim 15, wherein a winning hand is determined by the highest ranking hand.

18. (Currently amended) The method of claim 15, further comprising the steps of:

(a) dealing ~~the~~ said cards to the players face down;

(b) displaying a card for ~~the~~ each of the players, ~~the~~ each of the players then choosing to either bet or fold the hand;

(c) ~~displaying another card for the each of the players, the each of the players choosing to either bet or fold the hand;~~

(d) repeating step (e b) for each additional player in the game who has not folded until all cards due in the hand have been dealt or all players but one have folded; and

(e) determining the highest ranking hand using all the displayed cards of the

players who have not folded.

19. (Original) The method of claim 15, further comprising the step of providing a video display in which to display each hand of the players.

20. (Previously presented) The method of claim 17, further comprising discarding a selected number of cards, replacing the discarded cards and determining the winner of the game based on the player with the highest ranking hand.

21. (Previously presented) The method of claim 15, wherein said card game is five card poker.

22. (Previously presented) The method of claim 15, wherein said biasing comprises selecting as an initial single hand rank a first random number between 0 and the number of total possible hands and utilizing said initial single hand rank with a deviation multiplier to determine a range of possible hand rankings for each of the players in the card game, each player being assigned a hand rank within the range of possible hand rankings, randomly selecting a base number from the range of possible hand rankings and assigning a hand rank to the each of the players in the game, where the hand rank is determined using the base number.

23. (Previously presented) The method of claim 22, wherein said range minimum and maximum for an individual player are determined by a formula  $\pm(10 \times$  said player's deviation multiplier)  $\times A$ , wherein A is 1, 2 or 3.

24. (Previously presented) The method of claim 23, further comprising selecting a second random number for said player is selected from between 0 and  $(10 \times$  said player's deviation multiplier)  $\times A$  and the random number chosen is added to the initial single hand rank to establish a base number for said player.

25. (Previously presented) The method of claim 24, wherein the hand rank of each of the players is determined by subtracting ( $10 \times$  deviation multiplier) from the player's base number.